THE ROYAL BOTANIC GARDEN
EDINBURGH

EDINBURGH JOURNAL OF BOTANY

Volume 47
1990

EDINBURGH : HMSO

Publication Dates:

Number 1, pp. 1–88	18 May 1990
Number 2, pp. 89–	1 November 1990
Number 3, pp. 201–379	20 December 1990

CONTENTS OF VOLUME 47
1990

Alpinia (Zingiberaceae): a proposed new infrageneric classification. *R M Smith* 1

Psychanthus (K. Schum.) Ridley (Zingiberaceae): its acceptance at generic level. *R M Smith* 77

A reconsideration of *Brachychilum* Petersen (Hedychieae: Zingiberaceae). *Mark Newman* 83

A revision of *Rhododendron*. IV Subgenus *Tsutsusi*. *D F Chamberlain & S J Rae* 89

Gesneriaceae of the Old World. I: New and little-known species of *Cyrtandra* from Malesia. *B L Burtt* 201

Gesneriaceae of the Old World. II: A new *Didymocarpus* fromSumatra. *B L Burtt* 235

A revision of *Siphoneugena*. *Carolyn Proença* 239

A review of the infraspecific taxa of *Paeonia suffruticosa* Andrews. *S G Haw & L A Lauener* 273

Three new Delphiniums from Turkey. *Kit Tan & R Ilarslan* 283

A new *Barbarea* from southwest Anatolia. *Kit Tan & Y Gemici* 287

A critical examination of the status of *Pernettya* Gaud. as a genus distinct from *Gaultheria* L. *D J Middleton & C C Wilcock* 291

Chromosome counts in the genus *Gaultheria* L. and related genera. *D J Middleton & C C Wilcock* 303

A brief survey of Scrophulariaceae-Selagineae. *O M Hilliard* 315

New names in *Zaluzianskya* (Scrophulariaceae-Manuleae). *O M Hilliard* 345

Notes relating to the Flora of Bhutan XV. *D G Long* 351

A new species in the genus *Bromus*. *Fatima Sales & Philip Smith* 361

Four new species of Zingiberaceae from Borneo. *R M Smith* 367

Observations on an endangered fan palm in Arabia. *M Bazara'a, L Guarino, A Miller & N Obadi* 375

Adelmeria Ridley, 9
Albina Giseke, 8
alba Giseke, 8
Alpinia (Zingiberaceae): a proposed new infrageneric classification, 1
Alpinia Roxb., 8, 35, 62
subgenus Alpinia, 10
subgenus Dieramalpinia (K. Schum.) K. Schum., 10
sect. Allughas K. Schum., 11, 23
sect. Alpinia, 11, 13
sect. Arctiflorae R.M. Smith, 11, 23
sect. Didymanthus K. Schum., 11
sect. Dieramalpinia K. Schum., 29
sect. Eubractea K. Schum., 28
sect. Fax R.M. Smith, 11, 21
sect. Guillainia (Vieill.) K. Schum., 11, 22
sect. Kolowratia (Presl.) Loesener, 11, 13
sect. Myriocrater K. Schum., 29
sect. Pycnanthus K. Schum., 28
subsect. Allughas (K. Schum.) R.M. Smith, 25
subsect. Alpinia, 15
subsect. Amomiceps (K. Schum.) R.M. Smith, 29
subsect. Caeruleae, 25
subsect. Catimbium (Horan.) R.M. Smith, 15, 19
subsect. Cenolophon (Bl.) R.M. Smith, 15, 17
subsect. Odontychium (K. Schum.) R.M. Smith, 25–6
subsect. Paniculatae R.M. Smith, 15, 17
subsect. Presleia (Val.) R.M. Smith, 15–16
subsect. Probocalyx (K.Schum.) R.M. Smith, 15, 21
subsect. Pycnanthus R.M. Smith, 29
subsect. Strobidia (Miq.) R.M. Smith, 25–6
abundiflora Burtt & Smith, 36
acrostachya Steudel, 36
acuminata R.M. Smith, 36, 63
aenea Burtt & Smith, 36
affinis Ridley, 36
africana Ridley, 36
agiokuensis Hayata, 37
alata Dietr., 37
alba (Bl.) Dietr., 37
alba (Retz.) Roscoe, 37
albertisii K. Schum., 37
albida (Elmer) Loesener, 37
albipurpurea (van Royen) R.M. Smith, 37, 64
allughas (Retz.) Roscoe, 37
alpina Elmer, 37
angustifolia K. Schum., 37
annabellae Ridley, 37
antillarum Roemer & Schultes, 37
apoensis Elmer, 37
aquatica (Retz.) Roscoe, 8, 37, 42, 44–5, 50, 55–6
arctiflora F. Muell., 37
arfakensis K. Schum., 37
argentea (Burtt & Smith) R.M. Smith, 37
aromatica Aublet, 37
aromatica Jacq., 37
arundelliana (F.M. Bailey) K. Schum., 38
assimilis Ridley, 38
athroantha Val., 38
aurantiaca Ridley, 38
auriculata Roscoe, 38
babeldoabensis (Kaneh.) Hosok., 38
bambusifolia Liang & Fang, 38
beamanii R.M. Smith, 38
biakensis R.M. Smith, 38
bicalyculata Sessé & Moç., 38
bifida (Ridley) Ridley, 38
bifida Warb., 38
bilamellata Makino, 38
biligulata Val., 38
bisulcata Sessé & Moç., 38
blepharocalyx K. Schum., 38–9
blumei Dietr., 38
blumei K. Schum., 39
bodenii R.M. Smith, 39, 58, 64
boia Seeman, 39, 46
bonsinimensis Makino, 39
borneensis Val. ex Gagnep., 39

borraginoides K. Schum., 39
brachyanthera Merr., 39
brachypoda K. Schum., 39
bracteata Roscoe, 37, 39, 56
bracteata Roxb., 39
branderhorstii Val., 39
brevilabris Presl., 39
breviligulata Gagnep., 39
brevis Wu & Senjen, 39
breviscapa Poepp. & Endl., 39
brevituba Val., 39
burkillii M.R. Henderson, 39
caerulea (F. Muell.) Bentham, 40
calcarata Roscoe, 38, 40, 43, 58–9
calycodes K. Schum., 40
campanaria Ridley, 40
cannifolium Ridley, 40
capitellata Jack, 40, 45
cardamomum (L.) Roxb., 40
cardamomum medium Roxb., 40
caribea Gärtner, 40
caribea (Griseb.) O. Kuntze, 40
carinata Val., 40
carnea Griff., 40
carolinensis Koidz, 40
caudata Gagnep., 40
celebica K. Schum., 40
cernua Sims, 40
chaunocolea K. Schum., 40
chinensis auct. - non (Retz) Roscoe, 40
chinensis (Retz.) Roscoe, 40
chinensis Vidal, 41
chinghsiensis Fang, 41
chrysogynia (K. Schum.) K. Schum., 41
chrysorrachis K. Schum., 41
coccinea (Bl.) Dietr., 41
coeruleoviridis K. Schum., 41
colossea K. Schum., 41
comosa Jacq., 41
comosa Ridley, 41
compta K. Schum., 41
conchigera Griff., 41, 48
condensata Val., 41
conferta Burtt & Smith, 41
congesta Elmer, 41
conglomerata R.M. Smith, 41
copelandii Ridley, 41, 48
cordylinoides Ridley, 41
coriaceae Wu & Senjen, 41
coriandriora Fang, 41
corneri (Holttum) R.M. Smith, 42, 65
cornucervi Ridley, 42
corollina K. Schum., 42
costata Roxb., 42
cristata Griff., 42
cristata Roxb., 42
crocydocalyx K. Schum., 42
cumingii K. Schum., 41–2
cylindrocephala K. Schum., 42
cylindrostachys K. Schum., 42
dasystachys Val., 42
decockii Val., 42
decurva Ridley, 42
decurvata Baker, 42
densibracteata Wu & Senjen, 42
densiflora Gagnep., 42
densiflora (Urban) Mosc., 42
densiflora K. Schum., 42
densispicata Hayata, 42
denticulata (Ridley) Holttum, 43
difissa Roscoe, 43
diracodes Loesener, 43
divaricata Val., 43, 48
diversifolia (Elmer) Elmer, 43
dolichocephala Hayata, 43
domatifera Val., 43
dyeri K. Schum., 43
edanoi R.M. Smith, 43
elatior Jack, 43
elegans (Presl.) K. Schum., 9, 13, 43, 45
elmeri R.M. Smith, 43, 49, 64
elwesii Turrill, 43
emaculata S.Q. Tong, 43
engleriana K. Schum., 43
erecta Steudel, 43
eremochlamys K. Schum., 43, 53
eruciformis Ridley, 43
euastra K. Schum., 44
eubractea K. Schum., 44
eustales K. Schum., 44
exaltata (L. f.) Roemer & Schultes, 44

exostylis K. Schum., 44
fasciculata Steudel, 44
fax Burtt & Smith, 44
ferruginea Steudel, 44
fimbriata Gagnep., 44
flabellata Ridley, 44, 47–8
flagellaris (Ridley) Loesener, 9, 44
flava Ridley, 44
flexistamen K. Schum., 44
floccosa Val., 44
floribunda K. Schum., 44
fluviatilis Hayata, 44
foetens (Bl.) Dietr., 44
formosana K. Schum., 44, 48, 57
foxworthyi Ridley, 45
fraseriana Oliver, 45
fusiformis R.M. Smith, 45
gagnepainii K. Schum., 42, 45
galanga (L.) Sw., 8, 9, 14, 37–8, 40, 45, 55–6, 61–2
gigantea Bl., 45
gigantea F. Vill., 45
gigantifolia (Elmer) R.M. Smith, 45, 65
gjellerupii Val., 45
glabra Ridley, 37, 44–5
glabrescens Ridley, 45
globosa (Lour.) Horan., 45
gracilis Rolfe, 45
gracillima Val., 45
graminea Ridley, 45
graminifolia Fang & Lo, 45
grandiceps Ridley, 45
grandis K. Schum., 45
granumparadisi Moon, 46
guandongensis Senjen & Chen, 46
guianensis Fang & Chen, 46
haenkei Presl., 46, 50, 54
hageana R.M. Smith, 46
hainanensis K. Schum., 46
hansenii R.M. Smith, 46
havilandii K. Schum., 46
hellwigii K. Schum., 46
hemisphaerica (Bl.) Dietr., 46
hemsleyana K. Schum., 46
henryi K. Schum., 46
hibinoi Masamune, 46
himantoglossa Ridley, 46
hirsuta (Lour.) Horan., 46
hokutensis Hayata, 46
hookeriana Val., 46
horneana K. Schum., 46
hulstijnii Val., 46
humilis Teysm. & Binn., 47
humilis Vell., 47
hylandii R.M. Smith, 47
iboensis Val., 47
illustris Ridley, 47
inaequalis (Ridley) Loesener, 47
intermedia Gagnep., 46–8, 52, 60
involucrata Griff., 47
iriomotensis Masamune, 47
jamaicensis Gärtner, 47
jankowskii Val., 47
japonica (Thunb.) Miq., 37, 47
javanica Bl., 8, 38, 40, 47
javanica (Bl.) Dietr., 47
jinxiensis Fang, 41, 47
juliformis (Ridley) R.M. Smith, 47, 65
kainantensis Masamune, 47
katsumadai Hayata, 47
kawakamii Hayata, 48
kelugensis Hayata, 48
kermesina Ridley, 48
kiungensis R.M. Smith, 48
kiushiana Kitamura, 48
klossii (Ridley) R.M. Smith, 48, 65
koidzumiana Kitamura, 48
korthalsii K. Schum., 48
koshuensis Hayata, 48
kumatake Makino, 48
kusshakuensis Hayata, 48
kwangsiensis Wu & Senjen, 48
laosensis Gagnep., 48
latifolia Willd. ex Korn., 48
latilabris Ridley, 46, 48, 58
lauterbachii Val., 48
laxiflora Gagnep., 48
laxisecunda Burtt & Smith, 48
leptosolena K. Schum., 49
leptostachya Val., 49
ligulata K. Schum., 49, 56
linguiformis Roxb., 49
longilora Ridley, 49

longipetiolata Elmer, 49
longipetiolata Gagnep., 49
ludwigiana R.M. Smith, 39, 49, 64
luteocarpa Elmer, 49
maclurei Merr., 49
macrantha R. Scheffer, 49
macrocarpa Gagnep., 49
macrocarpa Val., 49
macrocephala Hayata, 49
macrocephala K. Schum., 49
macropycnantha Val., 49
macroscaphis K. Schum., 50
macrostemon K. Schum., 50
macrostephana (Baker) Ridley, 50
macroura K. Schum., 50
maculata Roscoe, 50
magnifica Roscoe, 50
malaccensis (Burm.) Roscoe, 50
malaccensis var. nobilis (Ridley) Holttum, 52
malaccensis Presl., 50
mannii Baker, 50, 54
manostachys Val., 50
martinii R.M. Smith, 50
media Sprengel, 50
mediomaculata Hayata, 50
melanocarpa (Teysm. & Binn.) Ridley, 50
melichroa K. Schum., 50
mesana Horan., 50
mesanthera Hayata, 50
microlophon Ridley, 50
minor Ridley, 50
minor (Bl.) Dietr., 51
minuta Dietr., 51
modesta (F. Muell.) K. Schum., 51
mollis Presl., 51
mollis Dietr., 51
mollissima Ridley, 51
moluccana Gagnep., 51
monopleura K. Schum., 51
multicaulis Roemer & Schultes, 51
multispicata (Ridley) Loesener, 51
murdochii Ridley, 51
musaefolia Ridley, 51
mutica Roxb., 48, 51
myriocratera K. Schum., 51
nanchuanensis Z.Y. Zhu, 51
neesiana Graham, 51
neragaimae Gilli, 51
nidus-vespae A. & J. Raynal, 51
nieuwenhuizii Val., 39, 44, 52
nigra (Gärtner) B.L. Burtt, 8, 37, 52
nimmonii Graham, 52
nobilis Ridley, 52
novae-hiberniae Burtt & Smith, 52
novae-pommeraniae K. Schum., 52
nutans (L.) Roscoe, 51–2
nutans K. Schum., 52
oblonga (Merr.) Loesen., 37, 52
oblongifolia Hayata, 52
occidentalis Sw., 52
oceanica Burkill, 43, 52
odontonema K. Schum., 39, 52
officinarum Hance, 45, 52
oligantha Val., 53
orchiodes K. Schum., 53
orthostachys K. Schum., 53
oxymitra K. Schum., 41, 49, 53
oxyphylla Miq., 53
pacoseroca Jacq., 53
padacanca Val., 53
pahangensis Ridley, 39, 53
pallida (Bl.) Dietr., 53
paludosa (Bl.) Dietr., 53
papilionacea K. Schum., 53
papuana R. Scheffer, 41, 44, 53
paradoxa (Ridley) Loesener, 9, 38, 53
parksii (Gillespie) A.C. Smith, 53
parviflora Rolfe, 53
pauciflora (Griseb. ex Peters.) O. Kuntze, 53
pectinata Ridley, 53
pedicellata Val., 53
peekelii Val., 53
pelecystyla K. Schum., 53
pendula Quisumb. & Merr., 54
penduliflora Ridley, 54
pennicellata Roscoe, 54
petiolata Baker, 54
philippensis Ridley, 54
phoenicia Kamphoevener ex Kurz, 54
pinetorum (Ridley) Loesener, 54
pininga (Bl.) Dietr., 54

pinnanensis Wu & Senjen, 54
pintatubensis Elmer, 54
platychilus K. Schum., 54
platylopha (Ridley) Loesener, 54
platynema K. Schum., 54
plectophylla K. Schum., 54
plumieri Krause, 54
polyantha Fang, 54
polycarpa K. Schum., 54
porphyrea R.M. Smith, 55
porphyrocarpa Ridley, 55
presliana Steudel, 55
pricei Hayata, 55, 57, 60
psilogyna D. Fang, 11, 55
pterocalyx K. Schum., 55
pterocarpa K. Schum., 55
ptychanthera K. Schum., 55
pubiflora (Benth.) K. Schum., 55
pulchella (K. Schum.) K. Schum., 55
pulcherrima Ridley, 55
pulchra (Warb.) K. Schum., 9, 55–6
pumila Hook. f., 11, 55
punicea Roxb., 55
purpurata (Vieill.) K. Schum., 9, 45, 55
pyramidata Bl., 55
quadriloba Ridley, 55
racemigera F. Muell., 55
racemosa L., 55
racemosa Sw., 55
rafflesiana Wall. ex Baker, 38, 56
rechingeri Gagnep., 56
regia R.M. Smith, 56
renealmia Sm., 56
reticosa Ridley, 56
rheedii Wight, 56
rigida Ridley, 56
roemeri Val., 56
rolfei K. Schum., 56
romblonensis Elmer, 56
romburghiana Val., 40, 56
rosacea Val., 56
roscoeana Steudel, 56
rosea Elmer, 56
rosella Ridley, 56
roxburghii Sweet, 56
rubella Ridley, 56
rubra (Bl.) Dietr., 56
rubricaulis K. Schum., 9, 56
rubromaculata S.Q. Tong, 57
rubrum Bl., 56
rufa (Presl.) K. Schum., 57
rufescens K. Schum., 57
ruiziana Steudel, 57
salamonensis Burtt & Smith, 57
samoensis Reinecke, 57
sanderae Sander, 57
sasakii Hayata, 57
satsumensis Gagnep., 57
scarba (Bl.) Baker, 57
schlechteri K. Schum., 57
schultzei Lauterb. ex Val., 57
schumanniana Val., 44, 57
scorpoidea Quisumb. & Merr., 57
scyphonema K. Schum., 57
secunda Baker, 57
secundiflora Ridley, 57
seimundii Ridley, 57
sericea Ridley, 58
sericiflora K. Schum., 58
serrulata Willd. ex Steudel, 58
sessiliflora Kitamura, 49, 58
sessilis König, 58
seticalyx (Ridley) Loesener, 58
shimadai Hayata, 42, 50, 58
siamensis K. Schum., 58
sibuyanensis Elmer, 58
silvicola Britton, 58
simsii Gasp., 58
singuliflora R.M. Smith, 58
solaris (Bl.) Dietr., 58
speciosa (Bl.) Dietr., 58
speciosa (Wendl.) K. Schum., 58
spicata Jacq., 58
spicata Presl., 58
spicata Roxb., 58
spiralis Jacq., 59
squarrosa Gilli, 59
stachyoides Hance, 59
stapfiana K. Schum., 59
stenobracteolata R.M. Smith, 59
stenostachys K. Schum., 59
striatum Link, 59
strobilacea K. Schum., 58–9

strobilifera Baker, 59
strobilifera Poepp. & Endl., 59
strobiliformis Wu & Senjen, 59
subfusicarpa Elmer, 59
submutica K. Schum., 59
subspicata Val., 59
subverticillata Val., 59
suishaensis Hayata, 40, 59, 63
sumatrana (Miq.) K. Schum., 9, 47, 60
superba (Ridley) Loesener, 60
takaminei Masamune, 60
tamacuensis R.M. Smith, 60
tarakoensis Masamune, 60
tephrochlamys Lauterb. & Schum., 60
thyrsoidea Steudel, 60
tomentosa (Bl.) Dietr., 60
tonkinensis Gagnep., 60
tonrukuensis Hayata, 60
trachyascus K. Schum., 60
trichocalyx Val., 60
tricolor Sander, 60
tristachya (Ridley) Loesener, 60
tubulata Ker Gawl, 60
unilateralis Burtt & Smith, 60
uraiensis Hayata, 48, 60
uviformis (L.) Horan., 60
valetoniana Loesener, 49, 60
vanoverbergii Merr., 61
velutina Ridley, 61
velutina van Royen, 61
velveta R.M. Smith, 61, 63
ventrocosa (Griseb.) O. Kuntze, 61
versicolor K. Schum., 61
viridiflora Griff., 61
vitellina (Lindley) Ridley, 61
vitellinum var. cannifolium (Ridley) Holttum [as Cenolophon], 40
vitiensis Seeman, 61
vittata Bull., 57, 60–1
vulcanica Elmer, 61
walang (Bl.) Dietr., 61
warburgii K. Schum., 61
wenzelii Merr., 61
werneri Lauterb., 61
womerslyi R.M. Smith, 61
wrayii King ex Baker, 61
zerumbet (Pers.) Burtt & Smith, 8–9, 42, 50, 58, 62
zingiberina Hook. f., 62
Ammomum aromaticum, 44
compactum [Sol. ex] Maton, 59
coriaceum R.M. Smith, 42
costatum (Roxb.) Baker, 40, 42, 50
polycarpum (K. Schum.) R.M. Smith, 54
sceletescens R.M. Smith, 367
ANDREWS, S.
Aquifoliaceae in Notes relating to the Flora of Bhutan, 351
Aquifoliaceae, 351
Azalea L.
ser. *Azalea*
subser. *Obtusum* Rehder, 94
subser. *Tashiroi* Rehder, 94
amoena Lindley, 140
danielsiana Paxton, 119
farrerae (Tate) Koch, 145
indica L., 119
var. *lateritia* Lindley, 119
indica sensu Sims, 115
kaempferi (Planchon) André, 120
kiyosumensis Makino, 149
ledifolia Hooker, 117
liliiflora Poiteau, 117
macrantha Bunge, 119
mucronata Blume, 117
obtusa Lindley, 140
rosmarinifolia Burmann, 117
serpyllifolia A. Gray, 129
squamata Lindley, 145

Barbarea from southwest Anatolia, A new, 287
Barbarea hedgeana Kit Tan & Gemici, 287
BAZARA'A, M., GUARINO, L., MILLER, A., & OBADI, N.
Observations on an endangered fan palm in Arabia, 375
Bhutan, Notes relating to the flora of, XV, 351

Brachychilum Petersen (Hedychieae: Zingiberaceae), A reconsideration of, 83
Bromus, A new species in the Genus, 361
Bromus lusitanicus Sales & P.M. Smith, 361, 365
pseudosecalinus P.M. Smith, 365
racemosus L., 365
Buekia Giseke, 8
Burbidgea, 62
longilora (Ridley) R.M. Smith, 49[spell?]
BURTT, B.L.
Gesneriaceae of the Old World, I, New and little-known species of Cyrtandra from Malesia, 201
Gesneriaceae of the Old World, II, A new Didymocarpus from Sumatra, 235

Calathea latifolia, 48
Catimbium Lestib., non *Catimbium* Juss., 9
Cenolophon Bl., 9
Cenolophon rubrum Bl., 9
CHAMBERLAIN, D.F. & RAE, S.J.
A revision of Rhododendron: IV, Subgenus Tsutsusi, 89
Chenopodiopsis Hilliard, 337
chenopodioides (Diels) Hilliard, 339, 341
hirta (L.f.) Hilliard, 339–40
retrorsa Hilliard, 339
Chromosome counts in Gaultheria and related genera, 303
Costus comosus (Jacq.) Roscoe, 41
malaccensis König, 8
spicatus (Jacq.) Sw., 58
spiralis (Jacq.) Roscoe, 59
Cromidon, 319
austerum Hilliard, 321, 329
confusum Hilliard, 321, 333
corrigioloides (Rolfe) Compton, 321, 331
decumbens (Thunb.) Hilliard, 320–1, 323
dregei Hilliard, 320, 325
gracile Hilliard, 321, 326
hamulosum (E. Mey.) Hilliard, 321, 334
microechinos Hilliard, 321, 335
minutum (Rolfe) Hilliard, 321, 336
plantaginis (L.f.) Hilliard, 321, 328
pusillum (Roessler) Hilliard, 321, 327
varicalyx Hilliard, 321, 330
Cyrtandra from Malesia, New and little-known species of, 201
Cyrtandra
sect. Coccinae C.B. Cl., 202
sect. Decurrentes C.B. Cl., 203
sect. Dissimiles C.B. Cl., 203
albibracteata B.L. Burtt, 203
antuana B.L. Burtt, 204
athrocarpa B.L. Burtt, 205
aurantiaca B.L. Burtt, 207
beamanii B.L. Burtt, 208
bryophila B.L. Burtt, 209
bullifolia B.L. Burtt, 210
calycina Benth., 211
debilis Kraenzlin, 211
diplotricha B.L. Burtt, 212
farinosa C.B. Clarke, 213
geesinkiana B.L. Burtt, 214
hansenii B.L. Burtt, 216
hottae B.L. Burtt, 217
iliasii B.L. Burtt, 219
kermesina B.L. Burtt, 220
ligulifera C.B. Cl., 221
mesilauensis B.L. Burtt, 222
pedicellata B.L. Burtt, 223
poiensis B.L. Burtt, 224
polyneura (C.B. Cl.) B.L. Burtt, 225
rubropicta Kraenzlin, 226
russa C.B. Clarke, 227
sandakanensis B.L. Burtt, 227
stonei B.L. Burtt, 229
tenebrosa B.L. Burtt, 230
weberi B.L. Burtt, 232

Delphinium iris Ilarslan & Kit Tan, 285
kitianum Ilarslan, 285

petrodavisianum Ilarslan & Kit Tan, 283
Delphiniums from Turkey, Three new, 283
Didymocarpus from Sumatra, A new, 235
Didymocarpus koerperi B.L. Burtt, 236

Elettaria cardamomum (L.) Maton, 40
Elettariopsis kerbyi R.M. Smith, 371
Elmeria Ridley, 9
bifida Ridley, 9
eriolopha Ridley, 9
flagellaris Ridley, 9
Etlingera elatior (Jack) R.M. Smith, 36, 43, 47, 50, 58
foetens (Bl.) R.M. Smith, 44
hemisphaerica (Bl.) R.M. Smith, 46
linguiformis (Roxb.) R.M. Smith, 49
punicea (Roxb.) R.M. Smith, 41, 55
solaris (Bl.) R.M. Smith, 53, 58
walang (Bl.) R.M. Smith, 61

Gaultheria and related Genera, Chromosome counts in, 303
Gaultheria howellii (Sleumer) Middleton, 297
insana (Molina) Middleton, 297
lanceolata Hook., 297
macrostigma (Colenso) Middleton, 297
marginata (N.E. Brown) Middleton, 297
mucronata (L.f.) Hook. & Arn., 297
var. angustifolia (Lindley) Middleton, 298
var. microphylla (Hombron) Middleton, 298
myrsinoides Humb., Bonpl. & Kunth, 298
nubicola Middleton, 298
parvula Middleton, 298
poeppigii, DC, 298
var. linifolia (Philippi) Middleton, 298
var. nana (Sleumer) Middleton, 298
pumila (L.f.) Middleton, 298
var. crassifolia (Philippi) Middleton, 299
var. leucocarpa (DC) Middleton, 298
purpurascens Humb., Bonpl. & Kunth, 299
racemulosa (DC) Middleton, 299
tasmanica (Hook. f.) Middleton, 299
GEMICI, Y. & TAN, KIT
A new Barbarea from southwest Anatolia, 287
Geocharis macrostemon (K. Schum.) Holttum, 50
secundiflora (Ridley) Holttum, 57
Geostachys decurvata (Baker) Ridley, 42
secunda (Baker) Holttum, 57
Gesneriaceae of the Old World, I, New and little-known species of Cyrtandra from Malesia, 201
Gesneriaceae of the Old World, II, A new Didymocarpus from Sumatra, 235
Globba orixensis Roxb., 51
GUARINO, L.
Observations on an endangered fan palm in Arabia, 375
Guillainia Vieill., 9
purpurata Vieill., 9

HAW, S.G. & LAUENER, L.A.
A review of the infraspecific taxa of Paeonia suffruticosa Andrews, 273
Hedychium borneense R.M. Smith, 372
horsfieldii [R. Brown ex] Wall., 86
lineare R.M. Smith, 373
Hellenia Willd., non *Hellenia* Retz., 8
allughas Willd., 8
Hellwigia Warb., 9
Hellwigia pulchra Warb., 9
Heritiera Retz., 8
allughas Retz., 8
HILLIARD, O.M.,
A brief survey of Scrophulariaceae-Selagineae, 315

New names in Zaluzianskya (Scrophulariaceae-Manuleae), 345
Hippocrataceae, 354
Hornstedtia minor (Bl.) K. Schum., 51
paludosa (Bl.) K. Schum., 53
pininga (Bl.) Val., 54
rubra (Bl.) Val., 56
tomentosa (Bl.) Bakh. f., 60

Icacinaceae, 353
ILARSLAN, R. & TAN, KIT
Three new Delphiniums from Turkey, 283
Ilex dipyrena Wall., 351
godajam (Colebr.) Hook. f., 351
sikkimensis Kurz, 351

Kaempferia galanga L., 58
Kolowratia Presl., 9
elegans Presl., 9

Languas J.K. Small, 9
speciosa (Wendl.) Small, 9
LAUENER, L.A. & HAW, S.G.
A review of the infraspecific taxa of Paeonia suffruticosa Andrews, 273
Leptosolena, 62
haenkei Presl., 49
Livistonia carinensis (Chiov.) J. Dransfield & N. Uhl, 375
LONG, D.G.
Notes relating to the Flora of Bhutan: XV, 351

Malvaceae, 357
Martensia Giseke, non *Martensia* Hering, 8
aquatica Giseke, 8
MIDDLETON, D.J. & WILCOCK, C.C.
A critical examination of the status of Pernettya as a Genus distinct from Gaultheria, 291
Chromosome counts in Gaultheria and related genera, 303
MILLER, A., OBADI, N., BAZARA'A, M. & GUARINO, L.
Observations on an endangered fan palm in Arabia, 375
Miquelia assamica (Griff.) Long, 353
kleinii Meissner, 354
Myrtaceae, 357

Nayariophyton zizyphifolium (Griff.) D.G. Long & A.G. Miller, 357
NEWMAN, M.
A reconsideration of Brachychilum Petersen (Hedychieae: Zingiberaceae), 83
Notes relating to the flora of Bhutan:, XV, 351

OBADI, N., BAZARA'A, M., GUARINO, N. & MILLER, A.
Observations on an endangered fan palm in Arabia, 375

Paeonia suffruticosa Andrews, A review of the infraspecific taxa, 273
Paeonia suffruticosa Andrews, 277
subsp. atava Brühl, 280
subsp. rockii Haw & Lauener, 277, 279
subsp. spontanea (Rehder) Haw & Lauener, 277–8
subsp. suffruticosa, 277
Palm, Observations on an endangered fan palm in Arabia, 375
Pernettya, A critical examination of the status of Pernettya as a genus distinct from Gaultheria, 291
Plagiostachys, 62
crocydocalyx (K. Schum.) Burtt & Smith, 42
rolfei (K. Schum.) Ridley, 56
strobilifera (Baker) Ridley, 39, 59
uviformis (L.) Loesener, 37, 60
Polygala sibirica L.,
subsp. bhutanica Kit Tan, 352
subsp. elegans (Wall. ex Royle) Kit Tan, 353

subsp. heyneana (Wall. ex Wright & Arnott) Kit Tan, 353
Polygalaceae, 352
Pommereschea, 62
PROENÇA, C.
A revision of Siphoneugena Berg, 239
Psychanthus (K. Schum.) Ridley (Zingiberaceae): its acceptance at generic level, 77
Psychanthus (K. Schum.) Ridley, 62, 79
sect. Pleuranthodium (K. Schum.) R.M. Smith, 79, 80
sect. Psychanthus, 79
biligulatus (Val.) R.M. Smith, 38, 81
branderhorstii (Val.) R.M. Smith, 39, 81
comptus (K. Schum.) R.M. Smith, 41, 79
floccosus (Val.) R.M. Smith, 44, 81
floribundus (K. Schum.) R.M. Smith, 44, 80
gjellerupii (Val.) R.M. Smith, 45, 80
hellwigii (K. Schum.) R.M. Smith, 46, 80
iboensis (Val.) R.M. Smith, 47, 80
inequalis Ridley, 82
macropycnanthus (Val.) R.M. Smith, 49, 81
neragaimae (Gilli) R.M. Smith, 51, 81
papilionaceus (K. Schum.) R.M. Smith, 53, 80
pedicellatus (Val.) R.M. Smith, 53, 80
peekelii (Val.) R.M. Smith, 53, 80
pelecystylus (K. Schum.) R.M. Smith, 53, 81
piundaundensis (van Royen) R.M. Smith, 81
platynemus (K. Schum.) R.M. Smith, 54, 82
pterocarpus (K. Schum.) R.M. Smith, 55, 82
racemiger (F. Muell.) R.M. Smith, 55, 82
roemeri (Val.) R.M. Smith, 56, 82
schlechteri (K. Schum.) R.M. Smith, 57, 80
scyphonemus (K. Schum.) R.M. Smith, 57, 80
tephrochlamys (Lauterb. & Schum.) R.M. Smith, 60, 82
trichocalyx (Val.) R.M. Smith, 60, 82

RAE, S.J. & CHAMBERLAIN, D.F.
A revision of Rhododendron: IV, Subgenus Tsutsusi, 89
Renealmia, 62
alpina (Rottb.) Maas, 44, 49, 53, 56, 60
breviscapa Poepp. & Endl., 39
cernua (Sw. ex Roemer & Schultes) Macbride, 55, 58–9
densiflora Urban, 42
grandiflora Bak., 36
guianensis Maas, 37, 51
jamaicensis (Gärtner) Horan, 37, 47, 53, 55, 61
occidentalis (Sw.) Sweet, 37, 52
pyramidalis (Lam.) Maas, 40, 54–5
racemosa Poepp. & Endl., 57
thyrsoidea (Ruiz & Pav.) Poepp. & Endl., 58, 60
Rhamnaceae, 355
Rhododendron IV, Subgensus Tsutsusi, A revision of, 89
Rhododendron
subgenus Tstsusi (Sweet) Pojarkova, 93
sect. Brachycalyx Sweet, 143
sect. *Tsusiopsis* Sleumer, 94
sect. Tsutsusi Sweet, 94
subsect. *Brachycalyces* (Sweet) Spethmann, 143
subsect. *Dimorphica* Tan, 94
subsect. *Monomorphica* Tan, 94
subsect. *Obtusa* Spethmann, 94
subsect. *Tashiroia* Spethmann, 94
ser. Azalea, 94
subser. Obtusum, 94
subser. Tashiroi, 94
amagianum Makino, 152
amakusaense (Yamazaki) Yamazaki, 152
amanoi Ohwi, 113

amoenum (Lindley) Planchon, 140
annamense Rehder, 116
apricum Tan, 102
  var. *falcinellum* Tan, 103
argyi Levl., 117
arunachalense Chamberlain & Rae, 131
atrovirens Franchet, 128
balsaminiflorum Carrière, 120
bellum Fang & Li, 139
bicolor Tan, 116
bicorniculatum Tan, 133
boninense Nakai, 118
breviperulatum Hayata, 124
breynii Planchon, 120
burmannii G. Don, 117
caespitulum Tan, 135
calleryi Planchon, 115
caryophyllum Hayata, 125
chaoanense Wu & Tan, 139
chrysocalyx Lévl., 107
chunii Fang, 133
cinereoserratum Tan, 145
coreanum Rehder, 115
crassimedium Tan, 137
cretaceum Tan, 106
crispiflorum Hooker, 120
daiyuenshanicum Tan, 145
daiyunicum Tan, 145
decandrum Makino, 147
  var. *lasiocarpum* Hara, 147
  var. *pilosum* Hara, 147
  var. *viscistylum* (Nakai) Hatusima, 147
  f. *lasiocarpum* Hara, 147
decumbens [D. Don ex] G. Don, 119
dilatatum Miquel, 146
  var. *boreale* Sugimoto, 146
  var. *decandrum* Makino, 147
  var. *kiyosumense* (Makino) Hatusima, 149
  var. *satsumense* Yamazaki, 147
eriocarpum (Hayata) Nakai, 118
  var. *tawadae* Ohwi, 118
falcinellum Tan, 103
farrerae Tate, 145
  var. *leucotrichum* Franchet, 145
florulentum Tan, 103
flosculum Fang & Li, 101
flumineum Fang & He, 101
fongkaiense Wu & Tan, 104
fuchsiifolium Lévl., 128
glandulostylum Komatsu, 127, 146
glandulostylum Fang & He, 127
gnaphalocarpum Hayata, 144
gratiosum Tan, 137
hainanense Merrill, 109
hallaisanense Lévl., 115
hannoense Nakai, 120
hejiangense He, 134
hepaticum Tan, 103
hortense Nakai, 113
huiyangense Fang & He, 138
hunanense [Chun ex] Tan, 100
  var. *mangshanicum* Tan, 100
hypoblematosum Tan, 137
hyugaense (Yamazaki) Yamazaki, 153
indicum (L.) Sweet, 119
  var. *amoenum* (Lindley) Maximovicz, 140
  f. *japonicum* Maximovicz, 122
  var. *eriocarpum* Hayata, 118
  var. *formosanum* Hayata, 116
  var. *ignescens* Sweet, 115
  var. *japonicum* Makino, 122
  var. *kaempferi* (Planchon) Maximovicz, 120
  var. *mikawanum* Makino, 121
  var. *obtusum* (Lindley) Maximovicz, 140
  var. *simsii* (Planchon) Maximovicz, 115
  var. *sinensis* Miquel, 112
  var. *smithii* Sweet, 141
  var. *sublanceolatum* (Miquel) Makino, 113
  var. *tamurai* Makino, 118
inobeanum Honda, 147
jinpingense Fang & He, 126
jinxiuense Fang & He, 100
kaempferi Planchon, 120
  var. *japonicum* Rehder, 122
  var. *macrogemma* Nakai, 120

var. *purpureum* Nakai, 122
kanehirai Wilson, 112
kiusianum Makino, 122
  var. kiusianum, 122
  var. sataense var. sataense (Nakai) Chamberlain & rae, 122
kiyosumense Makino, 149
komiyamae Makino, 123
kouytchense Lévl., 107
kwangsiense [Hu ex] Tan, 106
  var. *obovatifolium* Tan, 106
  var. *salicinum* Tan
  var. *subfalcatum* Tan, 106
kwangtungense Merrill & Chun, 104
lagopus Nakai, 151
lasiostylum Hayata, 124
ledifolium (Hooker) G. Don, 117
leucanthum Bunge, 117
linearifolium
  var. *macrosepalum* (Maximovicz) Makino, 113
lingii Chun, 99
litchifolium Wu & Tan, 139
liukiuense Komatzu, 113
longifalcatum Tan, 109
longiperulatum Hayata, 119
loniceriflorum Tan, 104
macrogemma (Nakai) Nakai, 121
macrosepalum Maximovicz, 113
macrostemon Maximovicz, 140
mariae Hance, 105
  subsp. kwangsiense (Tan) Chamberlain & Rae, 106
  subsp. mariae, 106
mariesii Hemsley & Wilson, 144
maximum sensu Thunberg, 112
mayebarae Nakai & Hara, 149
  var. *obsumiense* Yamazaki, 149
merionale Tan, 108
  var. meridionale, 108
  var. minor Tan, 108
  var. *setistylum* Tan, 108
microphyton Franchet, 126
  var. *trichanthum* Zhang, 126
minutiflorum Hu, 135
miyazawae Nakai & Hara, 123
mucronatum (Blume) G. Don, 116
  var. mucronatum, 117
  var. ripense (Makino) Wilson, 117
myrsinifolium Ching ex Fang & He, 135
naamkwanense Merrill, 132
  var. cryptonerve Tan, 133
  var. naamkwanense, 133
nagasakianum Nakai, 150
  var. *gracilescens* Nakai, 150
nakaharai Hayata, 129
nanpingense Tan, 139
noriakianum Suzuki, 125
nudipes Nakai, 150
  subsp. niphophilum Yamazaki, 150
  subsp. nudipes, 150
  var. kirishimense Yamazaki, 151
  var. lagopus (Nakai) Yamazaki, 151
  var. *mayebarae* Nakai & Hara, 149
  var. niphophilum, 150
  var. nudipes, 150
  var. tokishimense Yamazaki, 150
  var. tsurugisanense Yamazaki, 151
  var. *yakumontanum* [Masamune ex] Yamazaki, 153
obtusum (Lindley) Planchon, 140
  f. *amoenum* (Lindley) Wilson, 140
  var. *japonicum* (Nakai) Kitamura, 122
  var. *tosaense* (Makino) Kitamura, 123
oldamii Maximovicz, 110
  var. *glandulosum* Hayata, 110
osuzuyamense Yamazaki, 153
ovatosepalum Yamamoto, 110
papyrociliare Tan, 106
petilum Tan, 140
phoeniceum
  f. *smithii* (Sweet) Wilson, 141
piceum Tan, 104
pinetorum Tan, 140
polyraphidoideum Tan, 137
  var. montanum Tan, 141
poukhanense Lévl., 115
  f. *acutifolium* Komatsu, 121
  f. *obtusifolium*, Komatsu, 121
pulchroides Chung & Fang, 110
purpureum Komatzu, 121

qianyangense He, 132
randaiense Hayata, 125
reticulatum D. Don, 148
  var. *bifolium* Yamazaki, 148
  var. *lagopus* (Nakai) Yamazaki, 151
  var. *nudipes* (Makino) Hatusima, 150
  var. *parvifolium* Yamazaki, 148
  var. *wadanum* (Makino) Hatusima, 146
rhodanthum He, 141
rhombicum Miquel, 148
  var. *albiflorum* Makino, 148
rhuyuenense Chun, 99
ripaecola Tan, 133
ripense Makino, 117
rivulare Hand.-Mazz., 102
rosmarinifolium (Burmann) Dippel, 117
rubropilosum Hayata, 125
rufescens Tan, 103
rufohirtum Hand.-Mazz., 101
rufulum Tan, 103
saisiuense Nakai, 123
sakawanum Makino, 148
sanctum Nakai, 151
sasakii Wilson, 124
sataense Nakai, 122
saxatile Ding & Y.Y. Fang, 142
saxicolum Sleumer, 130
scabrum G. Don, 112
  f. *linearisepalum* Sugimoto, 113
  subsp scabrum, 112
  subsp. amanoi (Ohwi) Chamberlain & Rae, 113
  var. *kaempferi* (Planchon) Nakai, 120
seniavinii Maximovicz, 131
  var. crassifolium Tan, 142
serpyllifolium (A. Gray) Miquel, 129
  var. *albiflorum* Makino, 129
shikokianum Makino, 151
shimidzuanum [Honda ex] Makino, 149
shojoense Hayata, 144
sieboldii Miquel, 120
  var. *serrulatum* Miquel, 120
sikayotaisanense Masamune, 125
simsii Planchon, 115
  var. mesembrinum [Balf. f. & Forrest ex] Rehder, 116
  var. simsii, 115
  var. *yakuinsulare* (Masamune) Yamazaki, 113
spadiceum Tan, 103
sparsifolium Fang, 142
spinigerum Lévl., 107
subcerinum Tan, 107
subenerve Tan, 127
  var. *nudistylum* Tan, 137
subflumineum Tan, 109
sublanceolatum Miquel, 113
sublateritium Komatzu, 113
subsessile Rendle, 127
surugaense [Sugimoto ex] Kurata, 123
taipaoense Wu & Tan, 103
taiwanalpinum Ohwi, 111
tamurai (Makino) Masamune, 118
tanakae (Makino) Ohwi, 138
tanakai Hayata, 138
tashiroi Maximovicz, 111
tawadae (Ohwi) Ohwi, 118
tectum Koidzumi, 121
  var. *purpureum* (Komatzu) Hara, 121
tenue [Ching ex] Fang & He, 128
tenuilaminare Tan, 105
tetramerum (Makino) Nakai, 130
thunbergii Planchon, 140
tingwuense Tan, 136
tosaense Makino, 123
trinerve Franchet, 130
tschonoskyi Maximovicz, 130
  var. *tetramerum* (Makino) Komatzu, 130
  var. trinerve (Franchet) Makino, 130
  var. tschonoskyi, 130
  var. *typicum* f *tetramerum* Makino, 130
tsoi Merrill, 136
tsusiophyllum Sugimoto, 138
umbelliferum Lévl., 144

unciferum Tan, 135
viburnifolium Fang, 116
viscigemmatum Tan, 134
viscistylum Nakai, 147
var. *amakusaense* Yamazaki, 152
var. *glaucum* (Hatusima) Sugimoto, 153
var. *hyugaense* Yamazaki, 153
wadanum Makino, 146
var. *lagopus* (Nakai) Hara, 151
var. *leucanthum* Makino, 146
weyrichii Maximovicz
var. *amagianum* (Makino) Hatusima, 152
var. *sanctum* (Nakai) Hatusima, 152
xiushanense Fang, 107
yakuinsulare Masamune, 113
yakumontanum (Yamazaki) Yamazaki, 153
yangmingshanense Tan, 132
yaoshanicum Fang & He, 100
yedoense Maximovicz, 114
var. *hallaisanense* Lévl., 115
var. poukhanense (Lévl.) Nakai, 115
var. yedoense, 114
Rhynchanthus, 62
Riedelia, 62
affinis (Ridley) K. Schum., 36
albertisii K. Schum., 37
cordylinoides (Ridley) R.M. Smith, 41, 65
corollina (K. Schum.) Val., 42
decurva (Ridley) Val., 42
macrantha (Scheff.) K. Schum., 54
orchiodes (K. Schum.) Val., 53
pterocalyx (K. Schum.) Val., 55

Salacia salacoides (Roxb.) Rao & Hemadri, 354
SALES, F. & SMITH, P.
A new species in the Genus Bromus, 361
Scrophulariaceae-Manuleae, New names in Zaluzianskya, 345
Scrophulariaceae-Selagineae, A brief survey of, 315
Siphoneugena Berg, A revision of, 239
Siphoneugena Berg, 243
aromatica Berg, 267
baporetii (Legrand) Kausel, 267
cantareirae Mattos, 267
densiflora Berg, 245
var. cipoensis, 248, 252
var. densiflora, 248
dussii (Krug & Urban) C. Proença, 245, 251
var. dussii, 253
var. salicifolia (McVaugh) C. Proença, 253
guilfoyleiana C. Proença, 244, 254
kiaerskoviana (Burret) Kausel, 244, 256
krukoffiana Kausel, 267
kuhlmannii Mattos, 245, 258
legrandii Mattos & Silveira, 267
micrantha Kausel, 268
occidentalis Legrand, 245, 260
reitzii Legrand, 245, 262
sulcata (Burret) Kausel, 268
widgreniana Berg, 245, 265
SMITH, P. & SALES, F.
A new species in the Genus Bromus, 361
SMITH, R.M.
Alpinia (Zingiberaceae): a proposed new infrageneric classification, 1
Four new species of Zingiberaceae from Borneo, 367
Psychanthus (K. Schum.) Ridley (Zingiberaceae): its acceptance at generic level, 77
Stadiochilus, 62
Strobidia Miq., 9
sumatrana Miq., 9
Syzygium smalianum (Brandis) Long, 357

TAN, K.
Polygalaceae in Notes relating to the Flora of Bhutan, 352
— & GEMICI, Y.
A new Barbarea from Southwest Anatolia, 287

— & ILARSLAN, R.
Three new Delphiniums from Turkey, 283
Tetrastigma corymbosum Long, 358
rumicispermum (M. Lawson) Planchon, 358
Tsutsusi, A revision of Rhododendron, 89
Tsusiophyllum Maximovicz, 94
tanakai Maximovicz, 138

Vitaceae, 358

WILCOCK, C.C. & MIDDLETON, D.J.
A critical examination of the status of Pernettya as a Genus distinct from Gaultheria, 291
Chromosome counts in Gaultheria and related genera, 303

Zaluzianskya (Scrophulariaceae-Manuleae), New names in, 345
Zaluzianskya acrobareia Hilliard, 345
acutiloba Hilliard, 345
affinis Hilliard, 345
bella Hilliard, 346
cohabitans Hilliard, 346
glandulosa Hilliard, 346
gracilis Hilliard, 346
isanthera Hilliard, 347
kareebergensis Hilliard, 347
karrooica Hilliard, 347
lanigera Hilliard, 347
marlothii Hilliard, 347
minima (Hiern.) Hilliard, 348
mirabilis Hilliard, 348
parviflora Hilliard, 348
pilosissima Hilliard, 348
sanorum Hilliard, 349
sutherlandica Hilliard, 349
synaptica Hilliard, 349
tropicalis Hilliard, 349
vallispicis Hilliard, 350
venusta Hilliard, 350
Zerumbet Wendl., 8
speciosum Wendl., 8
Zingiber macrostachyum Dalziel, 50–1
nimmonii Dalziel, 52
Zingiberaceae from Borneo, Four new species of, 367
Zizyphus rubiginosa Long & Rae, 355